

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	22847	361/6\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 09:05
S14	4608	transformer near3 housing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 09:05
S15	9	transformer near3 housing and "330"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 09:15
S21	56	330/197.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 09:22
S22	308	"330"/\$.ccls. and (donut toroid\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 09:39
S23	0	("1653951").URPN.	USPAT	OR	ON	2005/10/28 09:32
S24	38	29/609.1.ccls. and coil	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 09:32
S25	203	"330"/\$.ccls. and (donut toroid\$4) and (case casing housing house)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 09:39
S26	207	"330"/\$.ccls. and (donut toroid\$4) and (case casing housing house shell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 09:40
S27	2	"330"/\$.ccls. and (donut toroid\$4) and (case casing housing house shell) and filler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 09:40

S28	18	"330"/\$.ccls. and (donut toroid\$4) and (case casing housing house shell) and (elastic\$4 spring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 09:43
S29	15606	(donut toroid\$4) and (case casing housing house shell) and (elastic\$4 spring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 09:43
S30	1716	(donut toroid\$4) and (case casing housing house shell) and (elastic\$4 spring) and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 09:43
S31	704	336/229.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 09:49
S32	704	336/229.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 09:49
S33	37	336/229.ccls. and spring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 14:52
S34	3	("3526712"   "4263479").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 09:58
S35	29	"330"/\$.ccls. and transformer with spring	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 10:00
S36	29	"330"/\$.ccls. and transformer with spring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 10:07
S37	193	"330"/\$.ccls. and transformer same spring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 10:07
S38	164	"330"/\$.ccls. and transformer same spring not S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 10:08

S39	19	"330"/\$.ccls. and transformer same spring with mount\$4 not S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 10:23
S40	33	"330"/\$.ccls. and transformer same spring same vibrat\$4 not S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 10:25
S41	114	"330"/\$.ccls. and transformer with vibrat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 10:25
S42	3	"330"/\$.ccls. and transformer with vibrat\$4 with (insulat\$4 isolat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 10:26
S43	335	transformer with vibrat\$4 with (insulat\$4 isolat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 10:27
S44	659	transformer and "248"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 10:28
S45	191	toroid\$4 and "248"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 10:28
S46	5	S44 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 10:28
S47	11	("3146417").URPN.	USPAT	OR	ON	2005/10/28 10:33
S48	1021	spring and "336"/\$.ccls.	USPAT	OR	ON	2005/10/28 10:33
S49	203	mount\$4 with spring and "336"/\$.ccls.	USPAT	OR	ON	2005/10/28 10:33
S50	7	vibrat\$4 same mount\$4 with spring and "336"/\$.ccls.	USPAT	OR	ON	2005/10/28 10:36

S51	49	181/207.ccls. and transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 10:36
S52	16	("4146112").URPN.	USPAT	OR	ON	2005/10/28 10:41
S53	4	("5804776"   "5810319"   "5929395"   "5942735").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 10:47
S54	3	("4493471"   "5197707"   "5681023").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 10:50
S55	120	361/836.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 10:53
S56	46	361/836.ccls. and (vibrat\$4 mechanical\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 10:53
S57	46	361/836.ccls. and (vibrat\$4 mechanical\$4) and (transformer coil)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 10:54
S58	9	361/836.ccls. and (vibrat\$4 mechanical\$4) and (transformer coil) and (toroid\$4 donut)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 10:55
S59	1	361/836.ccls. and (vibrat\$4) and (transformer coil) and (toroid\$4 donut)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 10:55
S60	2821	(vibrat\$4) and (transformer coil) and (toroid\$4 donut)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 10:55
S61	0	(vibrat\$4) and (transformer coil) and (toroid\$4 donut) and "336". ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 10:55
S62	143	(vibrat\$4) and (transformer coil) and (toroid\$4 donut) and "336"/\$. ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 10:56
S63	143	(vibrat\$4) and (transformer coil) and (toroid\$4 donut) and "336"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 11:06
S64	145	(vibrat\$4) and (transformer coil) and (toroid\$4 torroid\$4 donut) and "336"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 11:16

S65	59	"366,544".pn. "1,116,020".pn. "1,130,260".pn. "1,862,503".pn. "2,313,379".pn. "2,422,591".pn. "2,460,795".pn. "2,743,308".pn. "2,909,741".pn. "2,946,973".pn. "3,030,597".pn. "3,106,769".pn. "3018455".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 11:21
S66	24	"366,544".pn. "1,116,020".pn. "1,130,260".pn. "1,862,503".pn. "2,313,379".pn. "2,422,591".pn. "2,460,795".pn. "2,743,308".pn. "2,909,741".pn. "2,946,973".pn. "3,030,597".pn. "3,106,769".pn. "3018455".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 11:21
S67	2	("3183463").URPN.	USPAT	OR	ON	2005/10/28 11:22
S68	21	("0780957"   "2918240"   "3015869"   "3118200"   "3154281"   "3325135"   "3367701"   "3518727"   "3634798"   "3683303"   "3748696"   "3905570"   "4010503").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 12:50
S69	7	("3683303").URPN.	USPAT	OR	ON	2005/10/28 13:03
S70	1200	336/65-68.ccls.	USPAT	OR	ON	2005/10/28 13:03
S71	2372	336/65-68.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 13:04
S72	1315	336/65.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 13:04
S73	112	336/65.ccls. and vibrat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 13:06
S74	152	336/65.ccls. and (absorp\$5 absorb\$5 vibrat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 14:00

S75	3	"2687862".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 13:30
S76	6	("3134467").URPN.	USPAT	OR	ON	2005/10/28 13:31
S77	6	("2282040"   "3162829"   "3197167").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 13:42
S78	7	("3584823").URPN.	USPAT	OR	ON	2005/10/28 13:45
S79	15	336/68.ccls. and (absorp\$5 absorb\$5 vibrat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 14:00
S80	249	336/65.ccls. and (absorp\$5 absorb\$5 vibrat\$4 spring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 14:01
S81	97	S80 not S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 14:01
S82	520	"336"/\$.ccls. and "330"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 14:02
S83	66	336/6?.ccls. and "330"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 14:06
S84	6157840	hole opening aperture	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 14:06

S85	6618864	top upper	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 14:06
S86	1396903	S84 with S85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 16:36
S87	2513	S84 with S85 and "336"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 14:09
S88	441	S84 with S85 and "336"/6?.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 14:10
S89	131	S84 with S85 with (cover case casing housing) and "336"/6?.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 14:11
S90	0	("1521252").URPN.	USPAT	OR	ON	2005/10/28 14:33
S91	2148	nakamichi	JPO	OR	ON	2005/10/28 14:33
S92	206	nakamichi and niro	JPO	OR	ON	2005/10/28 14:40
S93	6	330/65.ccls.	JPO	OR	ON	2005/10/28 14:41
S94	26	336/229.ccls. and shock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 14:52
S95	21	("0780957"   "2918240"   "3015869"   "3118200"   "3154281"   "3325135"   "3367701"   "3518727"   "3634798"   "3683303"   "3748696"   "3905570"   "4010503").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 14:54
S96	3	"336"/\$.ccls. and weight with delay	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 14:55

S97	0	"336"/\$.ccls. and weight with delay and transition	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 14:54
S98	34	"336"/\$.ccls. and weight same delay	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 15:17
S99	95	336/229.ccls. and square	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 15:39
S10 0	0	336/229.ccls. and square with perfect	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 15:17
S10 1	0	336/229.ccls. and square with (regular)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 15:18
S10 2	3	"3,736,632".pn. "4,625,328".pn. "4,991,221".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 15:40
S10 3	25678	dis? near2 spring	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 15:42
S10 4	54	"336"/\$.ccls. and S103	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 15:43
S10 5	2	("2932546").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 16:06
S10 6	11	("2932546").URPN.	USPAT	OR	ON	2005/10/28 16:07
S10 7	3	("4999745").URPN.	USPAT	OR	ON	2005/10/28 16:07
S10 8	10	S84 with S85 with sheild\$\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 16:36
S10 9	10	S84 with S85 with sheild\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 16:36
S11 0	16522	S84 with S85 with shield\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 16:40



S11 1	122	S84 with S85 with shield\$4 and "336"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 16:59
S11 2	21	S84 with S85 with shield\$4 and "336"/\$.ccls. and amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:02
S11 3	17	S84 with wire and "336"/6?.ccls. and amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:02
S11 4	5	S84 with wire with shield\$4 and "336"/\$.ccls. and amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:04
S11 5	1022	wire with above with transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:04
S11 6	0	wire with above with transformer and sheild\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:04
S11 7	164	wire with above with transformer and shield\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:05
S11 8	8	wire with above with transformer and shield\$4 and toroidal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:06

S11 9	23	wire with S84 with transformer and shield\$4 and toroidal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:13
S12 0	10	wire with S85 with transformer and shield\$4 and toroidal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:06
S12 1	32	S119 S120	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 17:09
S12 2	366	wire and 336/65.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 17:09
S12 3	18	wire with output and 336/65.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/28 17:10
S12 4	8	("4206435").URPN.	USPAT	OR	ON	2005/10/28 17:11
S12 5	243	wire with S84 with shield\$4 and transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:13
S12 6	24	wire with S84 with shield\$4 and transformer and ("336"/\$.ccls. "330"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:18
S12 7	195	336/68.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:54

S12 8	59	336/68.ccls. and S85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:18
S12 9	59	336/68.ccls. and (slot S84)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:31
S13 0	63	336/68.ccls. and (slot gap S84)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:19
S13 1	63	336/68.ccls. and (slot\$3 gap S84)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:19
S13 2	2889	shield\$3 adj2 case same (slot S84)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:32
S13 3	32	shield\$3 adj2 case same (slot S84) and "336"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:41
S13 4	9	shield\$3 adj2 case same (slot S84) same wire and "336"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:32
S13 5	391	330/68.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:41

S13 6	103	330/68.ccls. and transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:42
S13 7	38	330/68.ccls. and transformer and S84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:42
S13 8	129	361/836.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 18:07
S13 9	12	("2169708"   "3750069"   "3972663"   "4425702"   "4443777"   "4628148"   "5023768"   "5160907"   "5222850"   "5347245"   "5440225").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 18:01
S14 0	20	361/836.ccls. and shield\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 18:12
S14 1	60	361/818.ccls. and transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 18:12
S14 2	10	("3368150").URPN.	USPAT	OR	ON	2005/10/28 18:23
S14 3	2	("3368150").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 18:28